



OBJECT-ORIENTED PROGRAMMING

# Lambda Expressions

## Lecture #7

doc. Ing. Martin Tomášek, PhD.

Departments of Computers and Informatics  
Faculty of Electrical Engineering and Informatics  
Technical University of Košice

2023/2024

## What is functional programming?

- A style of programming that treats computation as the evaluation of mathematical functions
  - Programs are constructed by applying and composing functions
- Declarative programming paradigm
  - Expressions defining a function, rather than a sequence of imperative statements which change the state of the program
- High-order functions – functions can take functions as arguments and return functions as results
- Pure functions – eliminates side effects
- Expressions have referential transparency
- Treats data as being immutable
- Prefers recursion over explicit loops
- Functional programming languages: Lisp, Haskell, Ocaml, F#, etc.

## What do functional programming?

- Allows us to write easier-to-understand, more declarative, more concise programs than imperative programming
- Allows us to focus on the problem rather than the code
- Facilitates parallelism
- Example: Factorial

Imperative language (C):

```
int factorial(int n) {
  if (n <= 1)
    return 1;
  return n * factorial(n - 1);
}
```

Functional language (Haskell):

```
factorial 0 = 1
factorial n = n * factorial(n - 1)
```

## The lambda calculus

- Formal model of computation underlying all functional programming languages
- Introduced in the 1930s by Alonzo Church as a mathematical system for defining computable functions
- Lambda calculus and Turing machines are equivalent models of computation (showing that the lambda calculus is Turing complete)
  - Basis for Church-Turing thesis
- Features from the lambda calculus such as lambda expressions have been incorporated into many widely used programming languages like C++, C#, Java, Python, etc.

## What is the lambda calculus?

- The central concept in the lambda calculus is an expression generated by the following grammar which can denote a function definition, function application, variable, or parenthesized expression

$$E ::= \lambda x . E \mid E E \mid x \mid (E)$$

- We can think of a lambda-calculus expression as a program which when evaluated by beta-reductions

$$((\lambda x . E) E') \rightarrow E\{x \leftarrow E'\}$$

returns a result consisting of another lambda-calculus expression

## Example of a lambda expression

- The lambda expression

$$\lambda x . (x + 1) 2$$

represents the application of a function  $\lambda x . (x + 1)$  with a formal parameter  $x$  and a body  $x + 1$  to the argument 2

- Execution of the expression (beta-reduction is applied)

$$\lambda x . (x + 1) 2 \rightarrow (x + 1)\{x \leftarrow 2\} \rightarrow 2 + 1$$

- Notice that the function definition  $\lambda x . (x + 1)$  has no name – it is an anonymous function

- In Java, we would represent this function definition by the Java lambda expression

$$x \rightarrow x + 1$$

## Examples of Java lambda expressions

- A Java lambda is basically a method in Java without a declaration usually written as

$$(\text{parameters}) \rightarrow \{ \text{body} \}$$

- Examples

$$(\text{int } x, \text{ int } y) \rightarrow \{ \text{return } x + y; \}$$

$$x \rightarrow x * x$$

$$() \rightarrow x$$

- A lambda can have zero or more parameters separated by commas and their type can be explicitly declared or inferred from the context
- Parenthesis are not needed around a single parameter
- $()$  is used to denote zero parameters
- The body can contain zero or more statements
- Braces are not needed around a single-statement body

## Benefits of lambda expressions in Java

- Enabling functional programming
- Writing leaner more compact code
- Facilitating parallel programming
- **Developing more generic, flexible and reusable APIs**
- Being able to pass behaviors as well as data to functions

## Example: Print a list of integers

```
List<Integer> intSeq = Arrays.asList(1, 2, 3);  
intSeq.forEach(x -> System.out.println(x));
```

- `x -> System.out.println(x)` is a lambda expression that defines an anonymous function with one parameter named `x` of type `Integer`

## Example: Multiline lambda

```
List<Integer> intSeq = Arrays.asList(1, 2, 3);
intSeq.forEach(x -> {
    x += 2;
    System.out.println(x);
});
```

- Braces are needed to enclose a multiline body in a lambda expression

## Example: Lambda with defined local variable

```
List<Integer> intSeq = Arrays.asList(1, 2, 3);
intSeq.forEach(x -> {
    int y = x * 2;
    System.out.println(y);
});
```

- Just as with ordinary functions, you can define local variables inside the body of a lambda expression

## Example: Lambda with a declared parameter type

```
List<Integer> intSeq = Arrays.asList(1, 2, 3);
intSeq.forEach((Integer x) -> {
    x += 2;
    System.out.println(x);
});
```

- You can, if you wish, specify the parameter type

## Implementation of Java lambda

- The Java compiler first converts a lambda expression into a function
- It then calls the generated function
- For example, `x -> System.out.println(x)` could be converted into a generated static function

```
public static void genName(Integer x) {
    System.out.println(x);
}
```

- But what type should be generated for this function? How should it be called? What class should it go in?

## Functional interfaces

- Design decision: **Java lambdas are assigned to functional interfaces**
- A functional interface is a Java interface with exactly one non-default method, for example

```
public interface Consumer<T> {
    void accept(T t);
}
```

- The package `java.util.function` defines many new useful functional interfaces

## Assigning lambda to a local variable

```
public interface Consumer<T> {
    void accept(T t);
}
```

Functional interface used for **implementing** a lambda expression.

```
void forEach(Consumer<Integer> action) {
    for (Integer i : items) {
        action.accept(i);
    }
}
```

Method `forEach()` from list `List<Integer>` interface, which receives `Consumer<Integer>` as a parameter. `Consumer<Integer>` **implementation is generated** from the lambda expression.

```
List<Integer> intSeq = Arrays.asList(1,2,3);
```

**Creating new** `Consumer<Integer>` as a lambda expression.

```
Consumer<Integer> cnsmr = x -> System.out.println(x);
intSeq.forEach(cnsmr);
```



## Properties of the generated method

- The method generated from a Java lambda expression has the same signature as the method in the functional interface
- The type is the same as that of the functional interface to which the lambda expression is assigned
- The lambda expression becomes the body of the method in the interface

## Variable capture

- Lambdas can interact with variables defined outside the body of the lambda
- Using these variables is called variable capture

## Example: Local variable capture

```
public class LVCEExample {
    public static void main(String[] args) {
        List<Integer> intSeq = Arrays.asList(1, 2, 3);

        int var = 10;

        intSeq.forEach(x -> System.out.println(x + var));
    }
}
```

- Local variables used inside the body of a lambda must be **final** or **effectively final**

## Example: Static variable capture

```
public class SVCEExample {

    private static int var = 10;

    public static void main(String[] args) {
        List<Integer> intSeq = Arrays.asList(1, 2, 3);
        intSeq.forEach(x -> System.out.println(x + var));
    }
}
```

## Method references (1)

- Method references can be used to pass an existing function in places where a lambda is expected
- The signature of the referenced method needs to match the signature of the functional interface method

## Method references (2)

- Static method  
`ClassName::StaticMethodName`  
(e.g. `String::valueOf`)
- Constructor  
`ClassName::new`  
(e.g. `ArrayList::new`)
- Specific object instance  
`objectInstance::MethodName`  
(e.g. `myCooler::coolReactor`)
- Arbitrary object of a given type  
`ClassName::InstanceMethodName`  
(e.g. `Object::toString`)

## Conciseness with method references

- We can rewrite the statement

```
intSeq.forEach(x -> System.out.println(x));
```

more concisely using a method reference

```
intSeq.forEach(System.out::println);
```

## Stream API

- The new `java.util.stream` package provides utilities to support functional-style operations on streams of values
- A common way to obtain a stream is from a collection

```
Stream<T> stream = collection.stream();
```
- Streams can be sequential or parallel
- Streams are useful for selecting values and performing actions on the results

## Stream operations

- An intermediate operation keeps a stream open for further operations
  - Intermediate operations are lazy
- A terminal operation must be the final operation on a stream
  - Once a terminal operation is invoked, the stream is consumed and is no longer usable

## Example: Intermediate operations

### filter

- Excludes all elements that don't match a predicate

### map

- Performs a one-to-one transformation of elements using a function

## A stream pipeline

- A stream pipeline has three components
  - A source such as a collection, an array, a generator function, or an IO channel
  - Zero or more intermediate operations
  - A terminal operation

## Example: Filter elements, map them to numbers, and sum

```
int sum = widgets.stream()
                .filter(w -> w.getColor() == RED)
                .mapToInt(w -> w.getWeight())
                .sum();
```

- Here, `widgets` is a `Collection<Widget>`. We create a stream of `Widget` objects via `Collection.stream()`, filter it to produce a stream containing only the red widgets, and then transform it into a stream of `int` values representing the weight of each red widget. Then this stream is summed to produce a total weight

## Example: Using lambdas and stream to sum the squares of the elements on a list

```
List<Integer> list = Arrays.asList(1, 2, 3);  
int sum = list.stream()  
    .map(x -> x * x)  
    .reduce((x, y) -> x + y)  
    .get();  
System.out.println(sum);
```

- Here `map(x -> x * x)` squares each element and then `reduce((x, y) -> x + y)` reduces all elements into a single number